

MOKRINSKIY, Arsentiy Stepanovich; SHMELEV, A.I., red. izd-va; SABITOV, A.,
tekhn. red.

[Constructing and supporting mine workings] Provedenie i krep-
lenie gornykh vyrabotok. Moskva, Gosgortekhnizdat, 1962. 352 p.
(MIRA 15:9)

(Coal mines and mining) (Mine timbering)

MOKRINSKIS, A.

Teaching economics helps to accomplish practical tasks. p. 53.
PADOMJU LATVIJAS KOMUNISTS, Riga. Vol. 11, no. 3, Mar. 1956.

SOURCE:

East European Accession List (EEAL) Library of Congress
Vol. 5, no. 8, August 1956.

YARTSEVA, N.A.; IVASHENKOVA, R.I.; KUDIMOVA, A.Kh.; MOKRINSKAYA, N.I.

Testing of the filtration systems of hydrolysis apparatus.
Gidroliz. i lesokhim. prom. 17 no.6:15-16 '64. (MIRA 17:12)

1. Kanskiy gidroliznyy zavod.

MOKRINSKAYA, A. A.

Mokrinskaya, A. A. - "Lung affection during brucellosis,"
Trudy Omskogo med. in-ta im. Malinina, No. 19, 1948, p. 129-130

SO: U-3600, 10 July 53, (Letopis 'Zhurnal' Vyskh. Statey, No. 4, 1949)

MOKRIN, M., insh. po trudu

Improve the organization of labor in the repair of automatic
and semiautomatic lines. Sots. trud 8 no.12:86-89 D '63.
(MIRA 17:2)

1. Khar'kovskiy zavod "Porshen".

MEKHIN, M.

Lost and found hour. Sov.profsoizny 18 no.23:18-19 D '62.

(MIRA 15:12)

1. Zamestitel' predsedatelya komissii sarabotnoy platy zavodskogo
komiteta profsoyusa, Flitochnyy zavod, g. Khar'kov.
(Kharkov—Ceramic industries) (Time study)
(Suggestion systems)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

1. Nachal'nik otдела truda i zarplaty Khar'kovskogo plitochmogo zavoda.

(Kharkov--Building materials industry) (Wage payment systems)

MOKRIK, N.I. (Kiyev, 37, ul. Novostroitel'naya, d.29, kv.7)

Evaluation of puncture of the atrium sinistrum in the diagnosis
of defects of the mitral valve. Klin.khir. no.11:45-49 N '62.
(MIRA 16:2)

1. Kafedra torakal'noy khirurgii (sav. - laureat Leninskoy
premi, chlen-korrespondent AMN SSSR, zasluzhennyy deyatel'
nauki, prof. N.M. Amosov) Ukrainskogo nauchno-issledovatel'-
skogo instituta tuberkuleza i grudnoy khirurgii.

(MITRAL VALVE--DISEASES) (PUNCTURES (MEDICINE))

MOKRII, N.I.

Temporal electromechanical correlations in mitral stenosis. Vrach.
delo no.9:35-39 S '62. (MIRA 15:8)

1. Klinika torakal'noy khirurgii (sav. - chlen-korrespondent AMN
SSSR, sasluzhennyy deyatel' nauki, prof. N.M.Anosov) Ukrainskogo
nauchno-issledovatel'skogo instituta tuberkuleza i grudnoy khirurgii.
(MITRAL VALVE--DISEASES) (CARDIOGRAPHY)

МОКРИК, Н.И. (Kiyev, 38, ul. Klinicheskaya, d.4)

Importance of puncture of the atrium sinistrum in the diagnosis of
mitral stenosis. Nov.khir.arkh. no.6:23-31 N-D '59. (MIRA 13:4)

1. Kafedra torakal'noy khirurgii (zaveduyushchiy - prof. N.M. Amosov)
Kiyevskogo instituta tuberkuleza.
(MITRAL VALVE--DISEASES)

BARAN, M.A., dotsent, kand.med.nauk; KOSACHEVSKAYA, P.I. [Kosachevs'ka, P.I.], vrach; MOKHEYEVA, M.G. [Mokrieleva, M.H.]; dotsent, kand. med.nauk

To keep both the body and the soul young. Nauka i zhyttia 11
no.1:39-41 Ja '61. (MIRA 14:3)

(HYGIENE)

MOKREYEVA, M. G.: Master Med Sci (Miss) -- "Therapeutic physical culture after having had diphtheria (During the convalescent period)". Kiev, 1959. 15 pp (Kiev Order of Labor Red Banner Med Inst im Acad A. A. Bogomolets), 200 copies (KL, No 10, 1959, 128)

KOVAL'SKIY, Veniamin Aronovich; OFITSEROV, Dmitriy Maksimovich;
SHELECHNIK, Boris Markovich; MOKHETSOV, A.M., red.

[Design and operation of equipment for the production
of acetylene] Ustroistvo i ekspluatatsiya oborudovaniya
dlya polucheniya atsetilena. Moskva, Vysshaya shkola.
1965. 187 p. (MIRA 18:8)

MINAYEV, Ivan Makarovich, MOSEVICH, M.N., nauchn. red., MARIKIN, V.
A.M., red.

[Making core skeletons in foundry practice] Izgotovlenie
karkasov v liteinom proizvodstve. Moskva: Vysshaya shkola,
1965. 235 p.

UML 15 2

LEBOV, Vasilii Timofeyevich; GANDONITSKIY, A.S., nauchn. red.:
MOKHENSOV, A.M., red.

[Principles of industrial mechanization and automation,
Osnovy mekhanizatsii i avtomatizatsii proizvodstva. Mo-
skva, Vysshaya shkola, 1964. 197 p. (MLA 17:11)

SHAPIRO, Anatoliy Yefimovich, kand. tekhn. nauk; KHRENNIKOV,
Nikolay Sergeyevich; MOKHOMTSOV, A.M., red.; PYATNITSKIY,
V.N., tekhn. red.

[Safety measures in leather manufacture] Tekhnika bez-
opasnosti v kozhevennom proizvodstve. Moskva, Gizlegprom,
1963. 291 p. (MIRA 17:2)

SULIM, Andrey Vasil'yevich. Prinimali uchastiye: SARKISOV, V.S.;
KAPLAN, R.B.; TARABORIN, N., nauchnyy red.; KOKHETSOV, A.,
red.; BONDAROVSKAYA, G., red.

[Manufacture of optical parts] Proizvodstvo opticheskikh
detalei. Moskva, Vysshaia shkola, 1964. 310 p.
(MIRA 18:2)

~~MOSEVICH~~, Grigoriy Vasil'yevich; ZEL'TSMAN, L., red.; BUTOVA, L.,
tekhn.red.

[In the Sikhote-Alin' Mountains] V gorakh Sikhote-Alinia.
Vladivostok, Primorskoe knizhnoe izd-vo, 1960. 37 p.
(Sikhote-Alin' Mountains--Tin mines and mining) (MIRA 14:4)

SOLONINKO, I.S.; MOKRENKO, A.Yu.

Vermiculite is a valuable building material. [Pratsi] Inst.
geol. nauk AN URSR. Ser. geol. rod. kor. kop. no.1:175-179
'63. (MI:4 18:6)

GOGOL', L.P. [Hohol', L.P.]; ZARITSKIY, O.I. [Zaryts'kiy, O.I.]; MOKRENKO, A.Mu.

New data on the vermiculite potential of the Azov Sea region. Geol.zhur.
23 no.1:80-84 '63. (MIRA 16:4)

1. Priazovskaya geologicheskaya ekspeditsiya i Nauchno-issledovatel'skiy
institut stroitel'nykh materialov i sooruzheniy Akademii stroitel'stva
i arkhitektury UkrSSR.

(Azov Sea region--Vermiculite)

PLESKO, I.; JANOVICOVA, E.; MOKRAN, M.

Aspropos of the differentiation of pathogenic and non-pathogenic strains of leptospira with the egg yolk test. Bratisl. lek. listy 44 no. 11: 678-683 D 1964

1. Katedra epidemiologie lek. fakulty Univerzity Komenského v Bratislave (veduci - doc. dr. E. Emery).

MoKRANYATS

SERBIS/Analytical Chemistry - Analysis of Inorganic Substances E-2

Abs Jour : Ref Zhur - Khimiya, No 3, 1958, No 7582

Author : Mokronyats, Milenkovich

Inst : Not Given

Title : The Quantitative Determination of Small Amounts of Mercury in the Form of Iodide

Orig Pub : Acta. pharm., jugosl., 1957, 7, 1, 25-28

Abstract : A new method is described which is based on the electrolytic separation of Hg on the surface of a Pt-vessel or Pt-wire. The separated Hg is converted into Hg_2I_2 by treating with a small amount of I_2 at room temperature and weighed on the microbalance. No losses of Hg were observed.

MOKRANJAC, Momcilo
SURNAME (in caps); Given Names

Country: Yugoslavia

Academic Degrees:

Affiliation: Institute for Toxicological Chemistry of the Pharmaceutical
Faculty (Institut za toksikolosku hemiju Farmaceutskog
Fakulteta), Belgrade

~~XXXXXXXX~~

Source: Belgrade, Arhiv za Farmaciju, No 2, 1961, pp 123-127.

Data: "Influence of Ptoamine on the Sensitivity of the Specific Reactions
of Alkaloids."

Authors:

✓ MOKRANJAC, Momcilo, Professor Dr.
✓ VUJOVIC, B.

NOKRAJAC, Miroslav St., Prof., dr.; NOVANOVIC, Dusan A., potpukovnik m-r ph.

Polarographic determination of air tetraethyl lead. Voj. san. pregl., Beogr. 14 no.3:109-111 Mar 57.

1. Institut za toksikolosku hemiju Farmaceutskog fakulteta u Beogradu-Otsek za higijenu rada Higijenskog instituta VMA.
(LEAD, determ.

tetraethyl lead in air, polarography (Ser))

Orig Pub. :

Abstract : 24 hours to yellow-brown); quebrachamine (violet, after 45 minutes brown, then yellow, after 24 hours yellow-green); narcotine (light red, after 24 hours a stable brilliant red); and yohimbine (blue, rapidly changing to a stable green). -- N. Turkevich.

Card: 2/2

Author : Mokranjac, M.; Pavkovic-Filipovic, Z.
Institution :
Title : Reagent for the Detection of Alkaloids.

Publ. No. : Acta pharm. jugosl., 1957, 7, No 4, 181-191

Abstract : For the detection and identification of alkaloids it is proposed to use a solution of 0.1 g Na-tellurate in 100 ml concentrated H_2SO_4 . This solution is stable for > 8 months and form characteristic color reactions with 9 alkaloids of the 56 that were tested: with apomorphine (dark green coloration changing to brown after 30 minutes); boldine (intense green, brown after 45 minutes, light-brown after 24 hours); bulbocapnine (intense violet, stable for 48 hours); brucine (intense orange, changing after 10 minutes to a stable yellow); hydrastine (red-yellow, after 10 minutes brown); morphine (yellow, changing to pale-green, and after

Cond: 1/2

Abs Jour : Ref Zhur - Khimiya, No 4, 1958, No 11077

Author : Moncilo Mokranjac, Sava Radacic, Danil, Soldatovic

Inst : Not Given

Title : Nephelometric Determination of Alkaloids


Orig Pub : Acta pharm. jugosl., 1957, 7, No 1, 29-32

Abstract : The possibility of the application of Scheibler's, Sonnenstein's, Bertrand's, Mayer's, Marne's and Mayer-Walser's reagents to the quantitative determination of 20 various alkaloids was investigated. 3 drops of 0.5%-aol HCl, 5 drops of the corresponding reagent and water up to 3 mlit are added to 1 mlit of the aqueous solution of the alkaloid salt in the nephelometer ditch. Nephelometry is carried out after 10 to 30 min. of seasoning. The minimum and maximum amounts of alkaloids, which can be determined nephelometrically with various reagents are presented.

Card : 1/1


18

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6



APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6



MOKRANJAC, M.; RADNIO, B.

Contribution to the problem of normal content of lead in human blood.
p. 563. GLASNIK. Beograd. Vol. 20, no. 9, 1955.


So. East European Accessions List Vol. 5, No. 9 September, 1956

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

Vol. 20, no. 2, 1955
GLASNIK
Beograd, Yugoslavia


SO; Eastern European Accession Vol. 5 No. 4 April 1956

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6



APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6



APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

MOKRANJAC, M. St.; BIRNANCEVIC, M.


Colorimetric determination of small quantities of the gold reduced
by carbon monoxide. Glas Hem dr 19 no.8:517-520 '54.

1. Hemijski institut Srpske akademije nauka, Beograd.

~~MEMORANDUM~~ Memo: JOVANOVIC, Dusan


Polarographic determination of the lead in blood. Acta pharm.
jugosl. 4 no.4:177-183 1954.
(LEAD, in blood
polarography)
(POLAROGRAPHY
of lead in blood)
(BLOOD
lead, polarography)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6



APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6



MOKRAJAC, Momcilo; BIRMANOVIC, Miodirka

The content and mutual relation of various oligo-elements in the leaves with special reference to their distribution in alcohol extract of the leaves; manganese and iron in the leaves. Acta pharm. jugosl. 4 no.1:38-42 1954.

1. Hemiski institut, Srpska akademija nauka, Beograd; primljeno: 1.IV.1954.

(PLANTS

*manganese & iron in alcohol extract from leaves, determ.)

(MANGANESE, determ.

*1: alcohol extracts from plant leaves)

(IRON, determ.

*1: alcohol extracts from plant leaves)

MOKRANJAC, Momcilo

MOKRANJAC, Momcilo; RADNIC Sava

The elimination of ortho-tricresyl phosphate in the milk. Acta
pharm. jugosl. 4 no.1:20-24 1954.

1. Institut za toksikol. i hemiju, Farmaceutski fakultet
Beograd; primljeno 1.IV.1954.

(LACTATION, metab. in

*o-tricresyl phosphate excretion in lactating sheep)

(CRESYL PHOSPHATES, metab.

*o-tricresyl phosphate excretion in lactating sheep)

NIKOLA JAG. I. PEDROVIC, I.

"Presence and distribution of some trace elements in forest soils and their distribution in the electrical extract of leaves. I. Al, Cu, Zn, nickel, and cobalt in leaves." p. 97, (SILS, Vol. 6, No. 10, 1964, Belograd, Yugoslavia)

SC: Monthly List of East European Academies, (Lund), 10, 11, 12, 13, 14, Apr 1965, Encl.

MOKRANJAC, M.St.; RADMIC, S.

Contribution to the problem of determination of lead in the blood.
Acta pharm. jugosl. 3 no.4:253-262 1953.

1. Zavod za toksikolosku hemiju, Farmaceutski fakultet, Beograd,
Primaljeno: 1.XII. 1953.

(LEAD, in blood

*determ., dithizone reaction)

(BLOOD

*lead, determ., dithizone reaction)

(DITHIZONE

*determ. of lead in blood)

MOKRANJAC, ST. M.

(2)

A new method for determination of carbon monoxide in blood. St. M. Mokranjac and St. Radnić. *Acta Pharm. Jugoslav.* 3, 174-84 (1963) (French summary). —Three ml. of freshly drawn blood, contg. 0.05 g. of NaF, is placed in a 50-ml. round-bottom flask and 12 ml. of H_2O is added. In a similar flask 2 ml. of 1% $AuCl_3$ is added. Before the two flasks are connected 1 ml. of 1:10 H_2SO_4 is added to the flask contg. blood and the two flasks are tightly connected and placed in a rotating wheel and rotated slowly for 12 hrs. The CO reduces the Au^{3+} to metallic Au, which is then filtered off and dissolved in aqua regia. This is then evapd. to dryness, and the residue is heated (250°) until reduced to metallic Au and weighed as such. An alternate method in which the metallic Au is treated with CO and the violet color detd. colorimetrically is mentioned. 13 references.


V. Mihajlov

MOKRANJAC, (ST.), M.
St. MOKRANJAC.

③

Content of rutin in different parts of *Scorpa japonica* during different periods of the year. M. St. Mokrancic, Dusan Milenkovic, and Jolka J. [illegible]. *Ann. Pharm. Soc. 2, 81-90 (1968) (French summary).* The content of rutin in different parts of the plant at different times of the year is given. The blossom has the highest content of rutin, 29.7%; leaves contain from traces up to 4.48%. The highest values were found during the month of May. V. Mihajlov. 21 references.


APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6



APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

CA

ASB-51A METALLURGICAL LITERATURE CLASSIFICATION



J. O. Tolson

1. 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2810 2811 2812 2813 2814 2815 2816 2817 2818 2

2011 07 01 09:00

1ST AND 2ND SECTIONS		3RD AND 4TH SECTIONS	
PROCEDURES AND PROPERTIES INDEX		PROCEDURES AND PROPERTIES INDEX	
A new reagent for the identification of various alkaloids. M. S. MOHRANTZ. <i>Bull. soc. chim. rev. Yonagata</i>, 1, No. 3, 171-6(1952).—With a reagent prep. by dis- solving 0.05 g. K_2CrO_4 in 5 cc. H_2O and making up to 100 cc. with concd. H_2SO_4, the following color reactions are shown: Morphine, gray, finally violet; codeine, yellow- green, finally violet; brucine, rose, finally orange; veratrine, yellow-green, finally red; piperine, red, finally black; quabracine, violet; cotinine, yellow, finally gray; thebaine, brown; yohimbine, intensely violet-blue; boldine, blue; chelidonium, grayish green, finally violet; berberine, yellow, finally olive-green; apomorphine, grayish violet, finally violet; bulbocapnine, grayish blue; narceine, brownish yellow, finally bright yellow; picrotoxin, pale orange; colchicine, bright yellow, cryptopine, bluish violet; hydrastine, blue, finally grayish violet; narcotine, yellow, finally black; hydrastinine, bluish, finally grayish violet. G. S. STRANITZ			
ADDITIONAL LITERATURE CLASSIFICATION ADDITIONAL LITERATURE CLASSIFICATION			

1st and 2nd Series		Processes and Properties Index	
CA		Colloidal method for detection of amine. <i>St. MORRIS, Bull. soc. chim. rep. Yorgelen. 2, 175-82 (in French 190) (1901)</i>. By action of As_2O_3 on benzidine the latter is transformed quantitatively into diacetylbenzidine. When this compd. is stirred off, the remaining filtrate can be used for detection of amine, as it gives a coloration of the same blue color as a soln. of benzidine in AsOH. The compd. formed is very unstable and could not be isolated; it may be a mol. compd. of AsOH and benzidine.	
		J. G. TOLPIN	
ASB-15A METALLURGICAL LITERATURE CLASSIFICATION		FROM SOURCE	
1914-1915		1914-1915	

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

Serologic examination of the tobacco necrosis virus isolated
from *Primula obconica* Hance. Rost vyroba 9 no.6:659-666
Je '63.

1. Vyzkumny ustav ckrasneho zahradnictvi, Pruhonice.

MOKOV, I. (Murman'k)

A simple reflex-type receiver. Radio receiver. 1955. 10 p. 24.

1. MOKOTEV, N. K. - KALACHINA, YU. P.

2. USSR (600)

4. Azo Compounds

9. Control of azotol A solutions. Tekst. prom. 12 no. 10, 1952

9. Monthly List of Russian Accessions, Library of Congress, January 1953. Unclassified.

MOKOS, Ladislau, ing.

Re-employment of thermoplastic waste. Industria uscara 10
no.5:208 My. '63.

NOKORZHITSKIY, V. [Nokorshyts'kiy, V.], nauchnyy sotrudnik;
SHAKIN, I., nauchnyy sotrudnik

Gravity and plants. Nauka i zhyttia 12 no.2:40-41 F '63.
(MIRA 16:4)

(Plants, Effect of gravity on)

9

SHAPOSHNIKOV, V. N., RABOTNOVA, I. L.,
YARMOLA, G. A., KUZNETSOVA, V. M.,
MOKOKHINA-PORSHINYAKOVA, N. N.

Rubber

Destructive effect of bacterial development on natural rubber. Mikrobiologiya 21, No. 2, 1952

Monthly List of Russian Accessions, Library of Congress, September 1952. Unclassified.

PHYSICAL CHEMISTRY
USSR/Physical Chem. Crystals

B-5

Orig Jour : Ref Zhur - Khimya, No 7, 1957, 22189

Author : I. I. Shafranovskiy, V. A. Moknevskiy

Inst : Not given

Title : Conditions of growth, geometry and symmetry of the skeleton
crystals.

Orig Pub : Zap. Vses. mineralog. ob-va, 1956, 85, No 2, 171-186

Abstract : No abstract.

Card 1/1

-68-

MANUKYAN, A.A.; RYDVANOV, N.F.; BELOUS, T.Ya.; SVIRIDOVA, Z.P.; CHEBOTAREVA, Ye.A.; SHUMILIN, V.I.; PUDINA, K.V.; LUTSKAYA, Ye.Ye.; BRAGINA, N.M.; SANDAKOV, V.A.; MUKSO, S.; ZABOTSKAYA, A.I.; VIKTICHENKO, D.I.; MIRKINA, I.Z.; MORENO, I.; SIDOROV, V.F.; POKLYARSKIY, B.I.; GRECHIKHIN, A.A.; KOSOVA, V.A.; KULIKOV, N.I.; ZHDANGVA, L.P.; ROZENTAL', Ye.I.; PETRANOVICH, I.M.

[Economic conditions of capitalist countries; survey of economic trends in 1961 and the beginning of 1962] Ekonomicheskoe polozhenie kapitalisticheskikh stran; kon'unktturnyi obzor za 1961 g. i nachalo 1962. g. Moskva, Izd-vo "Pravda," 1962. 157 p.

(MIRA 16:9)

1. Sotrudniki kon'yunktturnogo sektora Instituta mirovoy ekonomiki i mezhdunarodnykh otnosheniy AN SSSR.
(Economic history)

MANUKYAN, A.A.; GLUSHKOV, V.P.; SHVEDKOVA, V.M.; SVIRIDOVA, Z.P.; CHEBOTAREVA, Ye.A.; SHUMILIN, V.I.; PUDINA, K.V.; BRAGINA, N.M.; LUTSKAYA, Ye.Ye.; KODACHENKO, A.S.; KOSOVA, V.A.; MOKLYARSKIY, B.I.; GRECHIKHIN, A.A.; KULIKOV, N.I.; RYDVANOV, N.F.; BEL'CHUK, A.I.; VINTSER, Yu.I.; ROZENTAL', Ye.I.; BELOUS, T.Ya.; SIDOROV, V.F.; ZHDANOVA, L.P.; ALEKSANDROVSKAYA, L.I.; KOVAL', V.V.; KHAVINSON, Ya.S., glavnyy red.; SOKOLOV, I.A., zam.glavnogo red.; ALEKSEYEV, A.M., red.; ARZUMANYAN, A.A., red.; BELYAKOV, A.S., red.; BECHIN, A.Y., red.; VARGA, Ye.S., red.; LEMIN, I.M., red.; LYUBIMOVA, V.V., red.; SKOROV, G.Ye., red. V redaktirovaniy uchastvovali: SHAPIRO, A.I., red.; TATISHCHEV, S.I.; KOVRIGINA, Ye., tekhn.red.

[Economic conditions of capitalistic countries; review of business conditions for 1958 and the beginning of 1959] Ekonomicheskoe polozhenie kapitalisticheskikh stran; kon'unktturny obzor za 1958 g. i nachalo 1959 g. Moskva, Izd-vo "Pravda," 1959. 127 p. (Prilozhenie k zhurnalu "Mirovaya ekonomika i mezhdunarodnye otnosheniya," no.8, avgust 1959 g.) (MIRA 12:9)

1. Akademiya nauk SSSR. Institut mirovoy ekonomiki i mezhdunarodnykh otnosheniy. 2. Kollektiv sotrudnikov kon'unktturnogo sektora Instituta mirovoy ekonomiki i mezhdunarodnykh otnosheniy AN SSSR (for Glushkov, Shvedkova, Sviridova, Chebotareva, Shumilin, Pudina, Bragina, Lutsкая, Kodachenko, Kosova, Moklyarskiy, Grechikhin, Kulikov, Rydvanov, Bel'chuk, Vintser, Rozental', Belous, Sidorov, Zhdanova, Aleksandrovskaya, Koval'). (Economic conditions)

SOV/137-58-10-20504

The Crisis in the American Steel Industry

unemployed members of the steel workers union exceeded 125,000. Export of rolled metal in 1957 was ~40% higher than in 1956. Prices charged domestically for rolled metal rose. A tendency toward a reduction in capital investment is a consequence of the crisis in the steel industry.

M P.

1. Steel industry--USA
2. Social sciences

Card 2/2

SOV/137-58-10-20504

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 1, p 32 (USSR)

AUTHOR: Moklyarskiy, B.I

TITLE: The Crisis in the American Steel Industry (Krizis v amerikanskoy staleplavil'noy promyshlennosti)

PERIODICAL: Mirovaya ekon. i mezhdunar. otnosheniya, 1958, Nr 2, pp 107-109

ABSTRACT: During the past 2 years the United States has witnessed a decline in the smelting of steel along with an expansion of steel making capacity. Capital investments in the steelmaking industry in 1956 and 1957 increased respectively by 47 and 33% whereas the smelting of steel diminished by 2% owing to economic-crisis phenomena. During the 2nd half of 1957 the industrial production index dropped from 147 to 136. This resulted in a decline in steel consumption by 27% from 1956 in the production of metal goods, by 15% in heavy electrical equipment uses, and by 8% in other fields. Whereas the steelmaking enterprises were running at 98% of capacity in February, 1957, this figure had dropped to 54% at the end of January, 1958. In view of the short work week and mass layoffs, the number of

Card 1/2

ALBERTA, Calgary, January 11, 1911. Mr. J. H. ...
 Dear Sir,
 I have the honor to acknowledge the receipt of your letter of the 10th inst., in relation to the ...
 Yours very truly,
 J. H. ...

1. Безопасность — это состояние защищенности жизненно важных интересов личности, общества и государства от внутренних и внешних угроз.

TYULENEV, N.A., dokt. inzh. nauk, prof., red.;
 ALFAT'EV, S.M., dokt. inzh. nauk, prof.;
 IATA, I.M., dokt. inzh. nauk, prof.;
 K.P., dokt. inzh. nauk, prof.;
 tekhn. nauk, red.;
 nauk, red.;
 NOVIYAK, V.I., dokt. inzh. nauk, prof.

[Materiali i shcheta...]
 the Field of...
 di"ednorn...
 uchnykh rab...
 Kiev, Ukraini. Ukr. ...

1. Ob"ednaniye...
 y oblasti...
 korrespondent...

MOKLYAK, V.I.

Constructing a unit hydrograph. Trudy UkrNIGMI no.51:3-11 '65.

Calculations of the motion of a release wave. Ibid.:32-38
(MIRA 18:9)

VISHNEVSKIY, Palladiy Fedorovich[Vyshnevs'kyi, P.F.]; DROZD, Nafanail Iosipovich; ZHELEZNYAK, Iosif Aronovich; KRYZHANOVSKAYA, Ariada Borisovna[Kryzhanivs'ka, A.B.]; KUBYSHKIN, Georgiy Pimenovich[Kubyshkin, H.P.]; LYSENKO, Klara Arkhipovna; MOKLYAK, Vladislav Ivanovich; CHIPPING, Galina Aleksandrovna [Chippinh, H.O.]; SHVETS, Grigoriy Ivanovich[Shvets, H.I.]; PECHKOVSKAYA, O.M.[Pechkova'ka, O.M.], red.1zd-va; RAKHLINA, N.P., tekhn. red.

[Hydrologic calculations for rivers of the Ukraine]Gidrologichni rozrakhunky dlia richok Ukrainy; pry vidsutnosti spostereshen'. [By]P.F.Vyshnev'kyi ta inshi. Kyiv, Vyd-vo Akad.nauk URSR, 1962. 385 p. (MIRA 16:2)

(Ukraine--Rivers)

MOKLYAK, V.I.

Calculation of maximum flow of snow waters in Ukrainian and
Moldavian rivers. Avt.dor. 22 no.8:19-20 Ag. 1959.
(BRO 12:11)

(Steam measurement)

MOKLYAK, V.I., kand. tekhn. nauk

[Calculating the transformation of flood flow in case of
insufficient hydrometric data]. Trudy OGMI no.15:247-252
'58. (MIRA 12:7)

1. Institut gidrologii i gidrotekhniki AN USSR.
(Floods)

MOKLYAK, V.I., kand. tekhn. nauk

On results of the conference. Trudy OGMI no.15:241 '58.
(MIRA 12:7)

1. Institut gidrologii i gidrotekhniki AN USSR.
(Runoff)

~~MOSELYAK, V.I.~~ kand. tekhn. nauk

Possibility of efficient simplification of travel time formulas.
Trudy OGMI no.15:217-218 '58. (MIRA 12:7)

1. Institut gidrologii i gidrotekhniki AN USSR.
(Floods)

MOKLYAK, V.I., kand. tekhn. nauk

G.A. Alekseev and D.L. Sokolovskii's methods and the possibility of
their practical application. Trudy CGMI no.15:187-189 '58.
(MIRA 12:7)

1. Institut gidrologii i gidrotekhniki AN USSR.
(Runoff)

Construction of Hydrographs According to Precisely Defined Genetical Flow
Formulae

SGT/50-58-8-1/18

curves. As example the author determines the consumption (debit) of the spring floods of the Sozh river near Semel' in 1938 (Figs 1, 2, Tables 3-5). There are 2 figures, 5 tables, and 8 references, which are Soviet.

Card 3/3

... within separate ...
 ... F ... the ...
 ... the ... speed of ...
 ... The formula (2) ...
 ... the ... of the flood. The ...
 ... is a ... of a not simultaneous ...
 ... (rainage) of all particles of the water volume ... in the ...
 ... sequence of the unequal velocities in the current cross ...
 ... already in 1955 ...
 ... of the ...
 ... of the ... and ...
 ... which were ...
 ... to standardize the coefficients of the ...
 ... the various ... to calculate the ...
 ... of the ... φ ... curve of the ...
 ... may be used ... for the calculation of ...
 ... to simplify the determination of the numerical values ...
 ... coefficients of the "rainage" of particles ...
 ... as starting point that line of direction may be ...
 ... that line at the river in the middle between the ...

Ann. 1955

AUTHOR: Podolskiy, V. I. Podolskiy, V. I.
 TITLE: Construction of Hydrographs According to Precipitation
 Measurements and Discharge (Postroyeniye gidrograffov po izmereniyam
 oshezhdeniya i razliva) **autochenn-**

Periodika: Hydrologiya i gidromekhanika, 1964, No. 6, pp. 11-3, 100-101.

Abstract: For the investigation of spring floods (polevednyye) and
 flood discharge, the following discharge formulae are used:

$$Q_t = \int_0^t L_0 \frac{dF}{dt} dt \quad (1)$$

where L_0 is the surface of the drainage area up to the flood
 peak, F is the time of the discharge
 "flood" in the given network (Ref 1). In the case of
 unit discharge, the formula (1) is written as follows:

$$Q_n = h_1 F_1 + h_2 F_2 + \dots + h_{n-1} F_{n-1} + h_n F_n \quad (2)$$

where n is the number of discharges (polyetapnyy) and

Concerning the Foundations of the Calculation of the
Transformation of Floods.

50-1-9/26

completely acceptable in practice.
There are 3 figures and 2 references, 2 of which are Slavic.

AVAILABLE: Library of Congress

1. Fluid flow-Mathematical analysis
2. Flood waters-Mathematical analysis

Card 3/3

Concerning the Foundations of the Calculation of the
Transformation of Floods.

50-1-9/26

with respect to time takes place under the influence of varying consumption. With the modification of consumption and of the horizon of river water a modification of the longitudinal velocity in the individual sections of the cross section of the river bed takes place. In the suggested method of calculation of the movement of flow the latter is considered a spatial motion; beside inertia forces the influence of frictional forces is also taken into account (A description of the method of calculating the transformation of floods is given). For examining the suggested method of the calculation of unsteady of the water conservation in the sluiceway section of the hydroelectric generating station were taken which were published in the article (reference 1). This article gives results of the special observation on water levels, water consumption - and velocities in a number of storage places of sluiceway sections in different distances from the hydroelectric generating station. The transformed consumption calculated according to the method mentioned in this article was compared with the consumption observed in the place of storage 9,1 km. As is to be seen from figure 2 the theoretical method of calculation yields results will are

Card 2/3

AUTHOR: Moklyak, V. I. 50-1-9/26

TITLE: Concerning the Foundations of the Calculation of the Transformation of Floods (K osnovam rascheta transformatsii pavodkov).

PERIODICAL: Meteorologiya i Gidrologiya 1958, Nr 1, pp. 37-40 (USSR)

ABSTRACT: The applied calculations of the unstable and slowly variable movements of water are founded by the steadiness of flow, the main feature being a mean speed of flow. In spite of this assumption the suggested methods of calculation (method of characteristics, method of the instantaneous economics ("household", balance) etc.) are very extensive. Besides, these methods can only be employed when the data on the hydraulic and geometrical values of the flow and of the river bed are known. The transformation of the consumption along the river from the higher to the lower-situated storage places in the sections without tributaries with still unsteady movements of the current takes place under the influence of the following causes: 1) The inequality of the velocities in the cross section of the flow, due to which a non-simultaneity of the outlet of the outflowing quantities of water along the river is observed. 2) In the flow a modification of velocity

Card 1/3

МОНАХАН, В. И.
МОНАХАН, В. И.

General elements in the formulas of maximum discharges from snow
melts. Trudy Ukr. NIGMI no.9:113-120 '57. (MIRA 11:1)
(Hydrology) (Snow)

NOTED BY [illegible]
MOSEYAK, Vladimir Ivanovich; SHVETS', G.I. [Shvets', H.I.], kand. tekhn. nauk,
vidpovidal'nyy red.; PECHKOVS'KA, O.M. [Pechkovs'ka, O.M.], red.
vidavnistva; RAKHLINA, N.P., tekhn. red.


[Maximum discharge of snow waters by rivers of the Ukraine]
Maksymal'ni vytraty vid talykh vod na richkakh URSR. Kyiv, Vi-vo
Akad. nauk URSR, 1957. 162 p. (MIRA 11:2)
(Ukraine--Runoff)

NOKLYAK, V.I.

Graphic flow curves for a rectangular channel. Dop. AN URSS no.6:
527-531 '56. (MLRA 10:2)

1. Institut gidrologii ta gidrotekhniki AN URSS. Predstaviv akademik
AN URSS O.Y. Sukhomel.
(Hydraulics)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6



APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

NOIKLYAK, V.I.

Plotting a hydrograph of the lower Dnieper high flood water. Isv.
Inst.gidrol.i gidr.AN URSR 13:49-62 '55. (MIRA 9:2)
(Dnieper River--Stream measurements)

MOKLYAK, V. I.

KRYZHANOVSKAYA, A.B., kandidat tekhnicheskikh nauk; ZHURAVNYAK, I.A.,
kandidat tekhnicheskikh nauk; MOKLYAK, V.I., kandidat tekhnicheskikh
nauk.

On hydrological forecasting. Gidr.stroi. 23 no.5:37-40 '54.(MLRA 7:8)
(Hydrology)

MOKLYAK, V.I.


Calculation of water flow reaching a point at different times and having an irregular distribution of velocities in the flow. Dep. AN USSR no.4:284-287 '54. (MIRA 8:4)

1. Institut gidrologii ta gidrotekhniki AN USSR. Predstavleno deystvitel'nym chlenom Akademii nauk USSR G.I.Sukhomelom. (Hydraulics)

MOGLYAK, V.I. [Mogliak, V.I.], kand. tekhn. nauk.

Simplified method for plotting graphs of basin widths. Trudy GGI
no.37:57-65 '53. (MIRA 11:6)
(Rivers--Graphic methods)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6



APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

USSR/Hydrography - Potamology
Mathematics, Applied

Doc 49

"Formulas for Calculating the Maximum Discharges
Due to Thaw Waters," V. I. Moklyak, Cand Tech Sci,
6 pp

"Gidrotekh Stroi" No 12

Formulas given are based on those published by
Prof A. V. Ogiyevskiy in 1945. They have been
checked by data for 635 points on the rivers of
European USSR. Includes two maps, four diagrams,
and four tables.

156TH4

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

Monthly List of Russian Accessions, Library of Congress, November 1951. UNCLASSIFIED.

MOVL'AK. V. I.

Moklyak, V. I. "A simplified method of constructing the diagram of the water of a basin", Izvestiya in-ta gidrologii i gidrotekhniki (Akad. nauk Ukr. SSR), Vol. IV, 1953, p. 57-65, (in Ukrainian; resume in Russian).

SO: U-3042, 11 March 53, (Leto is 'nyki State, No. 10, 1953).

SENKOVICH, L.A.; MOKLEVSKIY, O.B.; USHAKOV, P.V.; FILATOV, S.Z.

At the First International Oceanographic Congress in the United
States. Zool. zhur. 39 no.5:797-800 My '60. (MIRA 13:10)
(Oceanography--Congresses)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

MOXK, Laszlo, Kossuth-díjas

refabrication of ferroconcrete structures for industrial and public buildings. Magyar Építész 13 no.12-19-62/1962.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

MOKK, Lasso; TASSI, Geza, dr.; LANYI, Jeno

New method of construction prestressing with a circular ground
plan in Hungary. Ins stavby 11 no.7:278-279 JI '63.

MOKK, Laslo [Mokk, László]; TIPOL'T, S.A., inzh. [translator]; SOROKER, V.I., doktor tekhn.nauk, red.; SHABALIN, Yu.P., red.; GILFENSON, P.G., tekhn.red.

[Precast reinforced concrete construction elements; manufacture and assemblage in construction yards] Sbornye zhелеzobetonnye konstruktii; izgotovlenie i montazh na stroitel'noi ploshchadke. Pod red. V.I.Sorokera. Moskva, Gos.izd-vo lit-ry po stroit., arkhitekt. i stroit.materialam, 1959. 302 p. Translated from the Hungarian. (MIRA 13:1)

(Precast concrete)

Mokk, L.

Mokk, L. A power station in Tiszapalkonya recently built by assembling heavy structural elements. Tr. from the Hungarian.
p. 35.

Vol. 5, no. 1, Jan. 1957
POZEMNI STAVBY
TECHNOLOGY
Czechoslovakia

So. East European Accessions, Vol. 6, No. 5, May 1957

DEMENT'YEVA, G.I.; SHAFRANOVSKIY, I.I.; MOKIYE/ISKIY, V.A.

Cone-shaped formations on crystals. East krist. 4:53-57 '64.
(MIRA 17:8)

MOXIYEVSKIY, V.A.; AFANAS'YEV, I.I.

Formation of skeletal cavities in lithium fluoride crystals.
Rost. Krist. 4:48-52 '64. (MIRA 37:8)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900002-6

CHAPMAN, VICKI, I.L.; MOKHTAR, M.A.; SAN PEDRO, YUDY. 1992. *Opuntia*

Parallels of lines α and β are α and β respectively.
The Barashin's post. α and β are α and β respectively.
The Barashin's post. α and β are α and β respectively.

I. 02258-67

ACC NR: AP6015471

21 /
twinning; moreover, the probability of the onset of twin crystals is determined by the orientation of the base layer and increases with the following sequence: (111)/(100)/(110). Orig. art. has: 5 figures.

SUB CODE: 20/ SUBM DATE: 21Oct65/ ORIG REF: 004/ OTH REF: 006

Card 2/2 pb

L 02258-67 EWT(1)/EWT(m)/T/EWP(t)/ETI IJP(c) GG/JD
 ACC NR: AP6015471 (N) SOURCE CODE: UR/0181/66/008/005/1511/1516
 AUTHOR: Chashchinov, Yu. M.; Mokiyevskiy, V. A. 5/50B
 ORG: Leningrad Mining Institute im. G. V. Plekhanov (Leningradskiy Gornyy institut)
 TITLE: Twinning and morphology of epitaxial layers of GaAs on Ge
 SOURCE: Fizika tverdogo tela, v. 8, no. 5, 1966, 1511-1516
 TOPIC TAGS: twinning, epitaxial growing, crystal growing, germanium single crystal, gallium arsenide
 ABSTRACT: This article presents some results of an investigation in the direction of oriented growth, surface faceting, and twinning of GaAs epitaxial layers in a complete heterogeneous system $\text{GaAs-Ga}_x\text{-As}_y$ depending on the orientation of the Ge base layer. Epitaxial films obtained on semispherical base layers were investigated by means of a goniometer, photogoniometer, and chemical etching. The experiments performed showed that only one of the polar orientations (the sign of polarity of such directions coincides with the sign of orientation [111]) is a favorable orientation of the growth of GaAs from a gaseous phase. The faceting of the epitaxial film depends on the orientation of the base layer and on supersaturation. In the course of epitaxy of GaAs on Ge in the system discussed there is always the possibility of forced
 Card 1/2

BALASHOVA, M.N.; MOKIYEVSKIY, V.A.; SALIDAU, E.P.

Joint session of the Fedorov Institute and the Mineralogical
Society of the U.S.S.R. Zap. Vses. min. obshch. 94 no.6.
737-748 '65. (MIR 18-12)

1. Deystvitel'nyye chleny Vsesoyuznogo mineralogicheskogo
obshchestva (for Mokiyeviskiy, Sal'dau).